

# Declaration of Design Examination

According Pressure Equipment Directive 97/23/EC, Module B

Kiwa herewith certifies that the results of the examinations of the equipment stated herein meet the requirements of the Pressure Equipment Directive 97/23/EC.

## Manufacturer

Name Pentec Snelrewaard B.V.  
Address Edisonweg 7  
Place 3442 AC WOERDEN  
Country The Netherlands

## Pressure equipment

Description Safety devices for protection against excessive pressure  
Type Spring loaded  
Norm NEN-EN-ISO 4126-1  
Serial number Not applicable  
Category IV  
Declaration of conformity Documents we refer to

## Report

Report numbers 130200393/PED/Module B  
150100898/PED/Module B  
Date of Issue 2013-11-15  
2015-01-23, revision 1  
Valid until 2023-11-30


## Remarks

This declaration has a validity for 10 years as long as:  
- it is not revoked nor suspended.  
- the production process fits within the examined tolerances.  
- no alterations and modifications in the design are made.  
The manufacturer has the obligation to report changes to the design or production process to the Notified Body

The pressure equipment shall carry the mark as indicated below:

**CE 0620**

Signature:

  
1.0

Ing. L.C.R. Lossie

Kiwa Nederland B.V.  
Sir. W. Churchill-laan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
+31(0)70-4144400  
+31(0)70-4144420  
inspectie@kiwa.nl  
CoC, 27039108, The Hague

**Certificate Number**

0620 – PED – 42901

# Declaration of Design Examination

According Pressure Equipment Directive 97/23/EC, Module B

---

**Specifications pressure equipment**

- Name pressure equipment
- Identification of pressure equipment (type identification)
- References manufacturer
- Drawing number with version number of composition drawings
  
- Category
- Design pressure, maximum acceptable pressure (PS)
- Design temperature, maximum acceptable temperature (TS)
- Design temperature, minimum/ maximum acceptable temperature (TS)
  
- Volume (V) of nominal sizes (DN)
- Medium and fluid classification

**Detailed specifications**

Safety equipment

Family type 4, type 5, type 6, and type 7 article code list  
21020907

We refer to reports

- 130200393/PED/Module B, clause 4, Appendix 4
  - 150100898/PED/ Module B
- IV

10 bar

120 °C

-30°C ≤ T ≤ 160 °C solar (water mixed with glycol, max. 50%)

Appendix 1

Water, group 2

---

**Listed products:**Bijlage 1-4 cert. 0620-PED-42901(10-10-13),  $1 < p_s \leq 10$  barBijlage 1-5 cert. 0620-PED-42901(10-10-13),  $1 < p_s \leq 10$  barBijlage 1-6 cert. 0620-PED-42901(10-10-13),  $1 < p_s \leq 10$  barBijlage 1-6 cert. 0620-PED-42901(10-10-13), Solar,  $1 < p_s \leq 10$  barBijlage 1-7 cert. 0620-PED-42901(10-10-13),  $1 < p_s \leq 10$  bar



	PenTec Code	Artikelcode	Tekening	Omschrijving	Montage instr.	Gebruiksvoor-schrift	Type
1	1140-0-05-11	117.0020.501	11.100.501	1" x 1 1/4" K 0.5 bar (141kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
3	1140-0-10-11	117.0020.506	11.100.501	1" x 1 1/4" K 1 bar (188kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
4	1140-0-15-11	117.0020.511	11.100.511	1" x 1 1/4" K 1.5 bar (231kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
5	1140-0-18-11	117.0020.515	11.100.521	1" x 1 1/4" K 1.8 bar (252kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
6	1140-0-20-11	117.0020.516	11.100.521	1" x 1 1/4" K 2 bar (273kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
7	1140-0-25-11	117.0020.521	11.100.532	1" x 1 1/4" K 2.5 bar (315kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
8	1140-0-30-11	117.0020.526	11.100.541	1" x 1 1/4" K 3 bar (354kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
9	1140-0-35-11	117.0020.531	11.100.551	1" X 1 1/4" K 3.5 bar (397kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
10	1140-0-40-11	117.0020.536	11.100.561	1" X 1 1/4" K 4 bar (436kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
11	1140-0-45-11	117.0020.541	11.100.581	1" X 1 1/4" K 4.5 bar (475kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
12	1140-0-50-11	117.0020.546	11.100.571	1" X 1 1/4" K 5 bar (515kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
13	1140-0-55-11	117.0020.551	11.100.571	1" X 1 1/4" K 5.5 bar (553kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
14	1140-0-60-11	117.0020.560	11.100.571	1" X 1 1/4" K 6 bar (591kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
15	1140-0-70-11	117.0020.570	11.100.571	1" X 1 1/4" K 7 bar (667kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
16	1140-0-80-11	117.0020.580	11.100.571	1" X 1 1/4" K 8 bar (743kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
17	1140-0-90-11	117.0020.590	11.100.571	1" X 1 1/4" K 9 bar (818kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
18	1140-0-99-11	117.0020.600	11.100.571	1" X 1 1/4" K 10 bar (899kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	4
19	1141-0-06-11	117.0060.301	11.100.412	1" X 1 1/4" KB 6 bar (250kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	4
20	1141-0-07-11	117.0060.311	11.100.441	1" X 1 1/4" KB 7 bar (250kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	4
21	1141-0-08-11	117.0060.321	11.100.422	1" X 1 1/4" KB 8 bar (250kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	4
22	1141-0-09-11	117.0060.331	11.100.451	1" X 1 1/4" KB 9 bar (250kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	4
23	1141-0-10-11	117.0060.341	11.100.432	1" X 1 1/4" KB 10 bar (250kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	4

Kiwa - 0620-PED-42901 - Bijlage 1



	PenTec Code	Artikelcode	Tekening	Omschrijving	Montage instr.	Gebruiksvoor-schrift	Type
1	1145-0-05-11	117.0025.001	11.100.711	1 1/4" x 1 1/2" K 0,5 bar (290kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
2	1145-0-10-11	117.0025.006	11.100.701	1 1/4" x 1 1/2" K 1 bar (388kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
3	1145-0-15-11	117.0025.011	11.100.711	1 1/4" x 1 1/2" K 1,5 bar (475kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
4	1145-0-18-11	117.0025.015	11.100.721	1 1/4" x 1 1/2" K 1,8 bar (518kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
5	1145-0-20-11	117.0025.016	11.100.721	1 1/4" x 1 1/2" K 2 bar (562kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
6	1145-0-25-11	117.0025.021	11.100.732	1 1/4" x 1 1/2" K 2,5 bar (649kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
7	1145-0-30-11	117.0025.026	11.100.741	1 1/4" x 1 1/2" K 3 bar (729kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
8	1145-0-35-11	117.0025.031	11.100.752	1 1/4" x 1 1/2" K 3,5 bar (816kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
9	1145-0-40-11	117.0025.036	11.100.761	1 1/4" x 1 1/2" K 4 bar (898kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
10	1145-0-45-11	117.0025.041	11.100.782	1 1/4" x 1 1/2" K 4,5 bar (979kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
11	1145-0-50-11	117.0025.046	11.100.771	1 1/4" x 1 1/2" K 5 bar (1060kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
12	1145-0-55-11	117.0025.051	11.100.791	1 1/4" x 1 1/2" K 5,5 bar (1138kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
13	1145-0-60-11	117.0065.301	11.100.605	1 1/4" x 1 1/2" K 6 bar (1216kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
14	1145-0-70-11	117.0065.311	11.100.635	1 1/4" x 1 1/2" K 7 bar (1372kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
15	1145-0-80-11	117.0065.321	11.100.615	1 1/4" x 1 1/2" K 8 bar (1529kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
16	1145-0-90-11	117.0065.331	11.100.645	1 1/4" x 1 1/2" K 9 bar (1685kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
17	1145-0-99-11	117.0065.341	11.100.625	1 1/4" x 1 1/2" K 10 bar (1830kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
18	1150-0-05-11	117.0030.001	11.030.107	1 1/2" x 2" K 0,5 bar (392kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
19	1150-0-10-11	117.0030.006	11.030.104	1 1/2" x 2" K 1 bar (505kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
20	1150-0-15-11	117.0030.011	11.030.117	1 1/2" x 2" K 1,5 bar (618kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
21	1150-0-20-11	117.0030.016	11.030.127	1 1/2" x 2" K 2 bar (731kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
22	1150-0-25-11	117.0030.021	11.030.137	1 1/2" x 2" K 2,5 bar (800kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
23	1150-0-30-11	117.0030.026	11.030.147	1 1/2" x 2" K 3 bar (900kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
24	1150-0-35-11	117.0030.031	11.030.157	1 1/2" x 2" K 3,5 bar (1062kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
25	1150-0-40-11	117.0030.036	11.030.167	1 1/2" x 2" K 4 bar (1168kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
26	1150-0-45-11	117.0030.041	11.030.187	1 1/2" x 2" K 4,5 bar (1273kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
27	1150-0-50-11	117.0030.046	11.030.177	1 1/2" x 2" K 5 bar (1378kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
28	1150-0-55-11	117.0030.051	11.030.197	1 1/2" x 2" K 5,5 bar (1480kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
29	1150-0-60-11	117.0070.001	11.030.603	1 1/2" x 2" K 6 Bar (1582kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
30	1150-0-70-11	117.0070.011	11.030.613	1 1/2" x 2" K 7 bar (1785kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
31	1150-0-80-11	117.0070.021	11.030.624	1 1/2" x 2" K 8 bar (1989kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
32	1150-0-90-11	117.0070.031	11.030.634	1 1/2" x 2" K 9 bar (2192kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
33	1150-0-99-11	117.0070.041	11.030.644	1 1/2" x 2" K 10 bar (2380kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
34	1155-0-05-11	117.0035.001	11.031.102	2" x 2 1/2" K 0,5 bar (546kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
35	1155-0-10-11	117.0035.006	11.031.107	2" x 2 1/2" K 1 bar (546kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
36	1155-0-15-11	117.0035.011	11.031.117	2" x 2 1/2" K 1,5 bar (860kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
37	1155-0-18-11	117.0035.015	11.031.127	2" x 2 1/2" K 1,8 bar (939kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
38	1155-0-20-11	117.0035.016	11.031.127	2" x 2 1/2" K 2 bar (1018kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
39	1155-0-25-11	117.0035.021	11.031.137	2" x 2 1/2" K 2,5 bar (900kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
40	1155-0-30-11	117.0035.026	11.031.147	2" x 2 1/2" K 3 bar (900kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
41	1155-0-35-11	117.0035.031	11.031.157	2" x 2 1/2" K 3,5 bar (1479kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
42	1155-0-40-11	117.0035.036	11.031.167	2" x 2 1/2" K 4 bar (1626kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
43	1155-0-45-11	117.0035.041	11.031.187	2" x 2 1/2" K 4,5 bar (1773kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
44	1155-0-50-11	117.0035.046	11.031.177	2" x 2 1/2" K 5 bar (1920kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
45	1155-0-55-11	117.0035.051	11.031.197	2" x 2 1/2" K 5,5 bar (2028kW)	113.2440.001	www.pentecbv.nl/CE/****(land)	5
46	1155-0-60-11	117.0075.001	11.031.303	2" x 2 1/2" K 6 bar (2203kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
47	1155-0-70-11	117.0075.011	11.031.313	2" x 2 1/2" K 7 bar (2487kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
48	1155-0-80-11	117.0075.021	11.031.324	2" x 2 1/2" K 8 bar (2770kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
49	1155-0-90-11	117.0075.031	11.031.333	2" x 2 1/2" K 9 bar (3053kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
50	1155-0-99-11	117.0075.041	11.031.344	2" x 2 1/2" K 10 bar (3315kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
51	1146-0-06-11	117.0065.301	11.100.605	1 1/4" x 1 1/2" KB 6 bar (350kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
52	1146-0-07-11	117.0065.311	11.100.635	1 1/4" x 1 1/2" KB 7 bar (350kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
53	1146-0-08-11	117.0065.321	11.100.615	1 1/4" x 1 1/2" KB 8 bar (350kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
54	1146-0-09-11	117.0065.331	11.100.645	1 1/4" x 1 1/2" KB 9 bar (350kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
55	1146-0-10-11	117.0065.341	11.100.625	1 1/4" x 1 1/2" KB 10 bar (350kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
56	1151-0-06-11	117.0070.001	11.030.603	1 1/2" x 2" KB 6 bar (600kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
57	1151-0-07-11	117.0070.011	11.030.613	1 1/2" x 2" KB 7 bar (600kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
58	1151-0-08-11	117.0070.021	11.030.624	1 1/2" x 2" KB 8 bar (600kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
59	1151-0-09-11	117.0070.031	11.030.634	1 1/2" x 2" KB 9 bar (600kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
60	1151-0-10-11	117.0070.041	11.030.644	1 1/2" x 2" KB 10 bar (600kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
61	1156-0-06-11	117.0075.001	11.031.303	2" x 2 1/2" KB 6 bar (900kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
62	1156-0-07-11	117.0075.011	11.031.313	2" x 2 1/2" KB 7 bar (900kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
63	1156-0-08-11	117.0075.021	11.031.324	2" x 2 1/2" KB 8 bar (900kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
64	1156-0-09-11	117.0075.031	11.031.333	2" x 2 1/2" KB 9 bar (900kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
65	1156-0-09-11	117.0075.031A	11.031.333	2" x 2 1/2" KB 9 bar (900kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5
66	1156-0-10-11	117.0075.041	11.031.344	2" x 2 1/2" KB 10 bar (900kW)	113.2440.011	www.pentecbv.nl/CE/****(land)	5

Kiwa - 0025



	Artikelcode	Tekening	Omschrijving	Druk	kW	Montage instr.	Gebruiksvoor-schrift	Type	Art.Code huis
1	1000-0-05-11	1000-0-05-11	1/2"K	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
2	1000-0-11-11	1000-0-11-11	1/2"K	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
3	1000-0-12-11	1000-0-12-11	1/2"K	1,5 bar	78	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
4	1000-0-14-11	1000-0-14-11	1/2"K	2 bar	93	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
5	1000-0-15-11	1000-0-15-11	1/2"K	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
6	1000-0-16-11	1000-0-16-11	1/2"K	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
7	1000-0-18-11	1000-0-18-11	1/2"K	4 bar	148	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
8	1000-0-20-11	1000-0-20-11	1/2"K	5 bar	175	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
9	1000-0-26-11	1000-0-26-11	1/2"K	6 bar	200	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
10	1000-0-27-11	1000-0-27-11	1/2"K	7 bar	226	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
11	1000-0-28-11	1000-0-28-11	1/2"K	8 bar	252	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
12	1000-0-29-11	1000-0-29-11	1/2"K	9 bar	278	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
13	1005-0-32-11	1005-0-32-11	1/2"K(M)	1,5 bar	78	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
14	1005-0-35-11	1005-0-35-11	1/2"K(M)	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
15	1005-0-36-11	1005-0-36-11	1/2"K(M)	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
16	1010-0-05-11	1010-0-05-11	1/2"KM	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
17	1010-0-11-11	1010-0-11-11	1/2"KM	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
18	1010-0-12-11	1010-0-12-11	1/2"KM	2 bar	93	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
19	1010-0-14-11	1010-0-14-11	1/2"KM	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
20	1010-0-16-11	1010-0-16-11	1/2"KM	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
21	1015-0-05-11	1015-0-05-11	1/2"UE	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
22	1015-0-11-11	1015-0-11-11	1/2"KE	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
23	1015-0-13-11	1015-0-13-11	1/2"KE	1,5 bar	78	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
24	1015-0-14-11	1015-0-14-11	1/2"KE	2 bar	93	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
25	1015-0-15-11	1015-0-15-11	1/2"KE	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
26	1015-0-16-11	1015-0-16-11	1/2"KE	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
27	1015-0-17-11	1015-0-17-11	1/2"KE	3,5 bar	135	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
28	1015-0-18-11	1015-0-18-11	1/2"KE	4 bar	148	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
29	1015-0-20-11	1015-0-20-01	1/2"KE	5 bar	175	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
30	1015-0-26-11	1015-0-26-11	1/2"KE	6 bar	200	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
31	1015-0-27-11	1015-0-27-11	1/2"KE	7 bar	226	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
32	1015-0-28-11	1015-0-28-11	1/2"KE	8 bar	252	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
33	1015-0-29-11	1015-0-29-11	1/2"KE	9 bar	278	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
34	1015-0-30-11	1015-0-30-11	1/2"KE	10 bar	302	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
35	1020-0-16-11	1020-0-16-11	1/2"KE(M)	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-078-1
36	1020-0-17-11	1020-0-17-11	1/2"KE(M)	3,5 bar	135	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-078-1
37	1025-0-05-11	1025-0-05-11	1/2"KEM	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-078-1
38	1025-0-11-11	1025-0-11-11	1/2"KEM	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-078-1
39	1025-0-14-11	1025-0-14-11	1/2"KEM	2 bar	93	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-078-1
40	1025-0-15-11	1025-0-15-11	1/2"KEM	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-078-1
41	1025-0-16-11	1025-0-16-11	1/2"KEM	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-078-1
42	1035-0-15-11	1035-0-15-11	1/2"KEC+PTFE	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
43	1035-0-61-11	1035-0-61-11	1/2"KE-PTFE	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
44	1035-0-62-11	1035-0-62-11	1/2"KE-PTFE	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
45	1035-0-64-11	1035-0-64-11	1/2"KE-PTFE	2 bar	93	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
46	1035-0-65-11	1035-0-65-11	1/2"KE-PTFE	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
47	1035-0-66-11	1035-0-66-11	1/2"KE-PTFE	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
48	1035-0-68-11	1035-0-68-11	1/2"KE-PTFE	4 bar	148	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
49	1035-0-70-11	1035-0-70-11	1/2"KE-PTFE	5 bar	175	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
50	1035-0-76-11	1035-0-76-11	1/2"KE-PTFE	6 bar	200	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
51	1035-0-77-11	1035-0-77-11	1/2"KE-PTFE	7 bar	226	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
52	1035-0-78-11	1035-0-78-11	1/2"KE-PTFE	8 bar	252	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
53	1035-0-79-11	1035-0-79-11	1/2"KE-PTFE	9 bar	278	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
54	1035-0-80-11	1035-0-80-11	1/2"KE-PTFE	10 bar	302	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
55	1050-0-01-11	1050-0-01-11	1/2"KEC+PTFE	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
56	1050-0-02-11	1050-0-02-11	1/2"KEC+PTFE	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
57	1050-0-06-11	1050-0-06-11	1/2"KEC+PTFE	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
58	1050-0-08-11	1050-0-08-11	1/2"KEC+PTFE	4 bar	148	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
59	1050-0-10-11	1050-0-10-11	1/2"KEC+PTFE	5 bar	175	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
60	1050-0-16-11	1050-0-16-11	1/2"KEC+PTFE	6 bar	200	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
61	1050-0-17-11	1050-0-17-11	1/2"KEC+PTFE	7 bar	226	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
62	1050-0-18-11	1050-0-18-11	1/2"KEC+PTFE	8 bar	252	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
63	1050-0-19-11	1050-0-19-11	1/2"KEC+PTFE	9 bar	278	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
64	1050-0-20-11	1050-0-20-11	1/2"KEC+PTFE	10 bar	302	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
65	1055-0-00-11	1055-0-00-11	1/2"x3/4"K	1,8 bar	85	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
66	1055-0-01-11	1055-0-01-11	1/2"x3/4"K	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
67	1055-0-02-11	1055-0-02-11	1/2"x3/4"K	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
68	1055-0-03-11	1055-0-03-11	1/2"x3/4"K	1,5 bar	78	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
69	1055-0-04-11	1055-0-04-11	1/2"x3/4"K	2 bar	93	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
70	1055-0-05-11	1055-0-05-11	1/2"x3/4"K	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
71	1055-0-06-11	1055-0-06-11	1/2"x3/4"K	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
72	1055-0-07-11	1055-0-07-11	1/2"x3/4"K	3,5 bar	135	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
73	1055-0-08-11	1055-0-08-11	1/2"x3/4"U	4 bar	148	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
74	1055-0-10-11	1055-0-10-11	1/2"x3/4"U	5 bar	175	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
75	1055-0-11-11	1055-0-11-11	1/2"x3/4"K	5,5 bar	188	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
76	1055-0-21-11	1055-0-21-11	1/2"x3/4"KM	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
77	1055-0-22-11	1055-0-22-11	1/2"x3/4"KM	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
78	1055-0-24-11	1055-0-24-11	1/2"x3/4"KM	2 bar	93	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
79	1055-0-25-11	1055-0-25-11	1/2"x3/4"KM	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
80	1055-0-26-11	1055-0-26-11	1/2"x3/4"KM	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
81	1055-0-32-11	1055-0-32-11	1/2"x3/4"KE	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
82	1055-0-33-11	1055-0-33-11	1/2"x3/4"KE	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
83	1055-0-35-11	1055-0-35-11	1/2"x3/4"KE	2,5 bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
84	1055-0-36-11	1055-0-36-11	1/2"x3/4"KE	3 bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
85	1055-0-38-11	1055-0-38-11	1/2"x3/4"KE	4 bar	148	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
86	1055-0-40-11	1055-0-40-11	1/2"x3/4"KE	5 bar	175	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
87	1055-0-41-11	1055-0-41-11	1/2"x3/4"KEM	0,5 bar	48	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1
88	1055-0-42-11	1055-0-42-11	1/2"x3/4"KEM	1 bar	64	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1



89	1055-0-44-11	1055-0-44-11	1/2"x3/4"KEM	2	bar	93	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1
90	1055-0-45-11	1055-0-45-11	1/2"x3/4"KEM	2,5	bar	107	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1
91	1055-0-46-11	1055-0-46-11	1/2"x3/4"KEM	3	bar	120	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1
92	1055-0-56-11	1055-0-56-11	1/2"x3/4"K(M)	3	bar	50	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
93	1055-0-57-11	1055-0-57-11	1/2"x3/4"K(M)	3,5	bar	135	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
94	1055-0-60-11	1055-0-60-11	1/2"x3/4"K(M)	5	bar	175	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
95	1055-1-16-01	1055-1-16-01	1/2"x3/4"UE	3	bar	50	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-077-1
96	1056-0-06-11	1056-0-06-11	1/2"x3/4"K	6	bar	200	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
97	1056-0-07-11	1056-0-07-11	1/2"x3/4"K	7	bar	226	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
98	1056-0-08-11	1056-0-08-11	1/2"x3/4"K	8	bar	252	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
99	1056-0-09-11	1056-0-09-11	1/2"x3/4"K	9	bar	278	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
100	1056-0-10-11	1056-0-10-11	1/2"x3/4"K	10	bar	302	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
101	1065-0-16-11	1065-0-16-11	1/2"KB	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
102	1065-0-17-11	1065-0-17-11	1/2"KB	7	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
103	1065-0-18-11	1065-0-18-11	1/2"KB	8	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
104	1065-0-20-11	1065-0-20-11	1/2"KB	10	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-004-1
105	1056-0-26-11	1056-0-26-11	1/2"x3/4"KE	6	bar	200	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
106	1056-0-27-11	1056-0-27-11	1/2"x3/4"KE	7	bar	226	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
107	1056-0-28-11	1056-0-28-11	1/2"x3/4"KE	8	bar	252	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
108	1056-0-29-11	1056-0-29-11	1/2"x3/4"KE	9	bar	278	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
109	1056-0-30-11	1056-0-30-11	1/2"x3/4"KE	10	bar	302	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-031-3
110	1056-0-36-11	1056-0-36-11	1/2"x3/4"K(M)	6	bar	200	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
111	1056-0-37-11	1056-0-37-11	1/2"x3/4"K(M)	7	bar	226	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
112	1056-0-38-11	1056-0-38-11	1/2"x3/4"K(M)	8	bar	252	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
113	1056-0-39-11	1056-0-39-11	1/2"x3/4"K(M)	9	bar	278	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
114	1056-0-40-11	1056-0-40-11	1/2"x3/4"K(M)	10	bar	302	113.2440.001	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
115	1056-0-46-11	1056-0-46-11	1/2"x3/4"KE(M)	6	bar	200	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1
116	1056-0-47-11	1056-0-47-11	1/2"x3/4"KE(M)	7	bar	226	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1
117	1056-0-48-11	1056-0-48-11	1/2"x3/4"KE(M)	8	bar	252	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1
118	1056-0-49-11	1056-0-49-11	1/2"x3/4"KE(M)	9	bar	278	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1
119	1056-0-50-11	1056-0-50-11	1/2"x3/4"KE(M)	10	bar	302	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-032-1
120	1060-0-16-11	1060-0-16-11	1/2"KEB	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
121	1060-0-17-11	1060-0-17-11	1/2"KEB	7	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
122	1060-0-18-11	1060-0-18-11	1/2"KEB	8	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
123	1060-0-19-11	1060-0-19-11	1/2"KEB	9	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
124	1060-0-20-11	1060-0-20-11	1/2"KEB	10	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-003-1
125	1060-0-26-11	1060-0-26-11	1/2"KEB+PTFE	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
126	1060-0-27-11	1060-0-27-11	1/2"KEB+PTFE	7	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
127	1060-0-28-11	1060-0-28-11	1/2"KEB+PTFE	8	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
128	1060-0-29-11	1060-0-29-11	1/2"KEB+PTFE	9	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
129	1060-0-30-11	1060-0-30-11	1/2"KEB+PTFE	10	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-080-1
130	1060-0-39-11	1060-0-39-11	1/2"KECB+PTFE	9	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
131	1065-0-16-11	1065-0-16-11	1/2"KB	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
132	1065-0-17-11	1065-0-17-11	1/2"KB	7	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
133	1065-0-18-11	1065-0-18-11	1/2"KB	8	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
134	1065-0-19-11	1065-0-19-11	1/2"KB	9	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
135	1065-0-20-11	1065-0-20-11	1/2"KB	10	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
136	1070-0-08-11	1070-0-08-11	1/2"K(M)B	8	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
137	1070-0-26-11	1070-0-26-11	1/2"K(M)B (solar)	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-013-1
138	1075-0-06-11	1075-0-06-11	1/2"KE(M)B	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-078-1
139	1075-0-07-11	1075-0-07-11	1/2"KE(M)B	7	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-078-1
140	1090-0-03-11	1090-0-03-11	1/2"KS (solar)	3	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
141	1090-0-04-11	1090-0-04-11	1/2"KS (solar)	4	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
142	1090-0-06-11	1090-0-06-11	1/2"KS (solar)	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
143	1090-0-08-11	1090-0-08-11	1/2"KS (solar)	8	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
144	1090-0-10-11	1090-0-10-11	1/2"KS (solar)	10	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-079-1
145	1095-0-04-11	1095-0-04-11	1/2"x3/4"KB	4	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
146	1095-0-06-11	1095-0-06-11	1/2"x3/4"KB	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
147	1095-0-07-11	1095-0-07-11	1/2"x3/4"KB	7	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
148	1095-0-08-11	1095-0-08-11	1/2"x3/4"KB	8	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
149	1095-0-09-11	1095-0-09-11	1/2"x3/4"KB	9	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
150	1095-0-10-11	1095-0-10-11	1/2"x3/4"KB	10	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
151	1095-0-23-11	1095-0-23-11	1/2"x3/4"KS (solar)	3	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
152	1095-0-24-11	1095-0-24-11	1/2"x3/4"KS (solar)	4	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
153	1095-0-25-11	1095-0-25-11	1/2"x3/4"KS (solar)	5	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
154	1095-0-26-11	1095-0-26-11	1/2"x3/4"KS (solar)	6	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
155	1095-0-27-11	1095-0-27-11	1/2"x3/4"KS (solar)	7	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
156	1095-0-28-11	1095-0-28-11	1/2"x3/4"KS (solar)	8	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
157	1095-0-30-11	1095-0-30-11	1/2"x3/4"KS (solar)	10	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-114-1
158	1095-0-44-11	1095-0-44-11	1/2"x3/4"K(M)B	4	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
159	1095-0-46-11	1095-0-46-11	1/2"x3/4"K(M)B	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
160	1095-0-47-11	1095-0-47-11	1/2"x3/4"K(M)B	7	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
161	1095-0-48-11	1095-0-48-11	1/2"x3/4"K(M)B	8	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
162	1095-0-50-11	1095-0-50-11	1/2"x3/4"K(M)B	10	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
163	1095-0-63-11	1095-0-63-11	1/2"x3/4"KE(M)S (solar)	3	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-116-2
164	1095-0-66-11	1095-0-66-11	1/2"x3/4"KE(M)S (solar)	6	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-116-2
165	1095-0-68-11	1095-0-68-11	1/2"x3/4"KE(M)S (solar)	8	bar	50	113.2440.011	www.pentecbv.nl/CE****(land)	6	3001-0-116-2
166	1095-0-73-11	1095-0-73-11	1/2"x3/4"K(M)S	7	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
167	1095-0-76-11	1095-0-76-11	1/2"x3/4"K(M)S	6	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
168	1095-0-78-11	1095-0-78-11	1/2"x3/4"K(M)S	8	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
169	1095-0-80-11	1095-0-80-11	1/2"x3/4"K(M)S	10	bar	75	113.2440.011	www.pentecbv.nl/CE****(land)	6	3000-0-115-2
170	1100-0-01-11	1100-0-01-11	3/4"K	0,5	bar	51	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-151-1
171	1100-0-02-11	1100-0-02-11	3/4"K	1	bar	68	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-151-1
172	1100-0-03-11	1100-0-03-11	3/4"K	1,5	bar	83	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-151-1
173	1100-0-04-11	1100-0-04-11	3/4"K	2	bar	99	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-151-1
174	1100-0-05-11	1100-0-05-11	3/4"K	2,5	bar	114	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-151-1
175	1100-0-06-11	1100-0-06-11	3/4"K	3	bar	128	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-151-1
176	1100-0-07-11	1100-0-07-11	3/4"K	3,5	bar	143	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-151-1
177	1100-0-08-11	1100-0-08-11	3/4"K	4	bar	157	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001-0-151-1
178	1100-0-09-11	1100-0-09-11	3/4"K	4,5	bar	172	113.2440.001	www.pentecbv.nl/CE****(land)	6	3001







	PenTec Code	Artikelcode	Tekening	Omschrijving	Montage instr.	Gebruiksvoor-schrift	Type
1	1160-0-01-11	117.0025.501	117.0025.501	DN 32x40 KG-FF 0,5 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
2	1160-0-02-11	117.0025.506	117.0025.506	DN 32x40 KG-FF 1 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
3	1160-0-03-11	117.0025.511	117.0025.511	DN 32x40 KG-FF 1,5 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
4	1160-0-04-11	117.0025.516	117.0025.516	DN 32x40 KG-FF 2 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
5	1160-0-05-11	117.0025.521	117.0025.521	DN 32x40 KG-FF 2,5 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
6	1160-0-06-11	117.0025.526	117.0025.526	DN 32x40 KG-FF 3 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
7	1160-0-07-11	117.0025.531	117.0025.531	DN 32x40 KG-FF 3,5 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
8	1160-0-08-11	117.0025.536	117.0025.536	DN 32x40 KG-FF 4 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
9	1160-0-09-11	117.0025.541	117.0025.541	DN 32x40 KG-FF 4,5 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
10	1160-0-10-11	117.0025.546	117.0025.546	DN 32x40 KG-FF 5 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
11	1160-0-11-11	117.0025.551	117.0025.551	DN 32x40 KG-FF 5,5 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
12	1160-0-16-11	117.0065.501	117.0065.501	DN 32x40 KG-FF 6 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
13	1160-0-17-11	117.0065.511	117.0065.511	DN 32x40 KG-FF 7 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
14	1160-0-18-11	117.0065.521	117.0065.521	DN 32x40 KG-FF 8 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
15	1160-0-19-11	117.0065.531	117.0065.531	DN 32x40 KG-FF 9 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
16	1160-0-20-11	117.0065.541	117.0065.541	DN 32x40 KG-FF 10 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
17	1165-0-01-11	117.0030.501	117.0030.501	DN 40x50 KG-FF 0,5 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
18	1165-0-02-11	117.0030.506	117.0030.506	DN 40x50 KG-FF 1 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
19	1165-0-03-11	117.0030.511	117.0030.511	DN 40x50 KG-FF 1,5 bar	3480-0-015-1	www.pentecbv.nl/CE*** (land)	7
20	1165-0-04-11	117.0030.516	117.0030.516	DN 40x50 KG-FF 2 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
21	1165-0-05-11	117.0030.521	117.0030.521	DN 40x50 KG-FF 2,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
22	1165-0-06-11	117.0030.526	117.0030.526	DN 40x50 KG-FF 3 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
23	1165-0-07-11	117.0030.531	117.0030.531	DN 40x50 KG-FF 3,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
24	1165-0-08-11	117.0030.536	117.0030.536	DN 40x50 KG-FF 4 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
25	1165-0-09-11	117.0030.541	117.0030.541	DN 40x50 KG-FF 4,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
26	1165-0-10-11	117.0030.546	117.0030.546	DN 40x50 KG-FF 5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
27	1165-0-11-11	117.0030.551	117.0030.551	DN 40x50 KG-FF 5,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
28	1165-0-16-11	117.0070.501	117.0070.501	DN 40x50 KG-FF 6 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
29	1165-0-17-11	117.0070.511	117.0070.511	DN 40x50 KG-FF 7 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
30	1165-0-18-11	117.0070.521	117.0070.521	DN 40x50 KG-FF 8 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
31	1165-0-19-11	117.0070.531	117.0070.531	DN 40x50 KG-FF 9 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
32	1165-0-20-11	117.0070.541	117.0070.541	DN 40x50 KG-FF 10 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
33	1170-0-01-11	117.0035.501	117.0035.501	DN 50x65 KG-FF 0,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
34	1170-0-02-11	117.0035.506	117.0035.506	DN 50x65 KG-FF 1 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
35	1170-0-03-11	117.0035.511	117.0035.511	DN 50x65 KG-FF 1,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
36	1170-0-04-11	117.0035.516	117.0035.516	DN 50x65 KG-FF 2 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
37	1170-0-05-11	117.0035.523	117.0035.523	DN 50x65 KG-FF 2,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
38	1170-0-06-11	117.0035.526	117.0035.526	DN 50x65 KG-FF 3 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
39	1170-0-07-11	117.0035.531	117.0035.531	DN 50x65 KG-FF 3,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
40	1170-0-08-11	117.0035.536	117.0035.536	DN 50x65 KG-FF 4 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
41	1170-0-09-11	117.0035.541	117.0035.541	DN 50x65 KG-FF 4,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
42	1170-0-10-11	117.0035.546	117.0035.546	DN 50x65 KG-FF 5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
43	1170-0-11-11	117.0035.551	117.0035.551	DN 50x65 KG-FF 5,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
44	1170-0-16-11	117.0075.501	117.0075.501	DN 50x65 KG-FF 6 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
45	1170-0-17-11	117.0075.511	117.0075.511	DN 50x65 KG-FF 7 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
46	1170-0-18-11	117.0075.521	117.0075.521	DN 50x65 KG-FF 8 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
47	1170-0-19-11	117.0075.531	117.0075.531	DN 50x65 KG-FF 9 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
48	1170-0-20-11	117.0075.541	117.0075.541	DN 50x65 KG-FF 10 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
49	1180-0-01-11	117.0040.501	117.0040.501	DN 65x80 KG-FF 0,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
50	1180-0-02-11	117.0040.506	117.0040.506	DN 65x80 KG-FF 1 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
51	1180-0-03-11	117.0040.511	117.0040.511	DN 65x80 KG-FF 1,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
52	1180-0-04-11	117.0040.516	117.0040.516	DN 65x80 KG-FF 2 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
53	1180-0-05-11	117.0040.521	117.0040.521	DN 65x80 KG-FF 2,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
54	1180-0-06-11	117.0040.526	117.0040.526	DN 65x80 KG-FF 3 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
55	1180-0-07-11	117.0040.531	117.0040.531	DN 65x80 KG-FF 3,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
56	1180-0-08-11	117.0040.536	117.0040.536	DN 65x80 KG-FF 4 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
57	1180-0-09-11	117.0040.541	117.0040.541	DN 65x80 KG-FF 4,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
58	1180-0-10-11	117.0040.546	117.0040.546	DN 65x80 KG-FF 5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
59	1180-0-11-11	117.0040.551	117.0040.551	DN 65x80 KG-FF 5,5 bar	113.2440.001	www.pentecbv.nl/CE*** (land)	7
60	1180-0-16-11	117.0080.501	117.0080.501	DN 65x80 KG-FF 6 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
61	1180-0-17-11	117.0080.511	117.0080.511	DN 65x80 KG-FF 7 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
62	1180-0-18-11	117.0080.521	117.0080.521	DN 65x80 KG-FF 8 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
63	1180-0-19-11	117.0080.531	117.0080.531	DN 65x80 KG-FF 9 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7
64	1180-0-20-11	117.0080.541	117.0080.541	DN 65x80 KG-FF 10 bar	113.2440.011	www.pentecbv.nl/CE*** (land)	7

Kiwa - 0622